

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.

AM9-98-093

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

METHOD AND SYSTEM FOR REAL-TIME DETERMINATION OF SUBJECT'S INTEREST LEVEL TO MEDIA CONTENT

and invented by:

D. Christopher Dryer, Myron Dale Flickner, and Jianchang Mao

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:

☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 34 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.

AM9-98-093

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☐ Formal Number of Sheets _____
- b. ☒ Informal Number of Sheets 4 (Figs. 1-6)
4. ☒ Oath or Declaration
- a. ☒ Newly executed (original or copy) ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☐ Certificate of Mailing
- ☐ First Class ☐ Express Mail (Specify Label No.): _____

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.

AM9-98-093

Total Pages in this Submission

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)


16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	54	- 20 =	34	x \$18.00	\$612.00
Indep. Claims	7	- 3 =	4	x \$78.00	\$312.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$760.00
OTHER FEE (specify purpose) Assignment Recordation					\$40.00
TOTAL FILING FEE					\$1,724.00

- ☒ A check in the amount of \$1,724.00 to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 50-0481 as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).


Signature

Dated: February 25, 1999

Sean M. McGinn, Esq.
Registration No.: 34,386

CC:

Customer No.: 21254

MCGINN & GIBB, P.C.
A PROFESSIONAL LIMITED LIABILITY COMPANY
PATENTS, TRADEMARKS, COPYRIGHTS, AND INTELLECTUAL PROPERTY LAW
1701 CLARENDON BOULEVARD, SUITE 100
ARLINGTON, VIRGINIA 22209
TELEPHONE (703) 294-6699
FACSIMILE (703) 294-6696

**APPLICATION
FOR
UNITED STATES
LETTERS PATENT**

APPLICANT: **D. Christopher Dryer, Myron Dale
Flickner, and Jianchang Mao**

FOR: **METHOD AND SYSTEM FOR REAL-
TIME DETERMINATION OF
SUBJECT'S INTEREST LEVEL TO
MEDIA CONTENT**

DOCKET NO.: **AM9-98-093**

METHOD AND SYSTEM FOR REAL-TIME DETERMINATION OF A SUBJECT'S INTEREST LEVEL TO MEDIA CONTENT

5 CROSS-REFERENCE TO RELATED APPLICATION

The present application is related to U.S. Patent Application No.
09/____, filed on _____, to Flickner et al., entitled "METHOD
AND SYSTEM FOR RELEVANCE FEEDBACK THROUGH GAZE
TRACKING AND TICKER INTERFACES" having IBM Docket No. AM9-
10 98-031, assigned to the present assignee, and incorporated herein by reference.

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a method and system for determining a
subject interest level to media content, and specifically to the level of interest
15 a subject expresses in content of an image on a display. More particularly, the
invention relates to a method and system for non-intrusively detecting how
interested a subject is to media content (e.g., the content originating from
broadcast or cable TV, the web, a computer application, a talk, a classroom
lecture, a play, etc.).

Description of the Related Art

Information technologies have become quite efficient at data transmission. However, users are not interested in data per se, but instead want data that is useful for a particular task. More specifically, people
 5 desire interesting information suited to a particular topic, problem, etc.. The importance of providing interesting information in communication has been noted by various philosophers and scientists, including Grice, H.P. *Logica and Conversation*, in: P. Cole & J. Morgan (Eds.), Syntax and Semantics 3: Speech Acts, pp. 41-58, (New York: Academic Press, 1967) who urged that
 10 speakers must make their communication relevant to the listener if communication is to be successful.

The problem of determining whether data is interesting to a receiver has been addressed in different ways within different media. In interpersonal communication, a listener provides a speaker with verbal and non-verbal
 15 feedback (e.g., cues) that indicates the listener's level of interest.

In many mass media, such as television, multiple channels that offer some variety of information are provided, and people receiving the information select from the available information whatever seems most interesting. Then, people's selections are measured (e.g., typically by
 20 sampling a small segment of viewers such as by the Nielsen ratings or the like), so that more interesting and new (potentially interesting) content can be made more available, and content that is not interesting can be made less available.

The interpersonal means of interest level detection has an advantage over the typical mass media means in that in the interpersonal medium, interest level detection occurs in real time, within a single exchange of information rather than between a plurality of exchanges of information.

5 The speaker can introduce information, assess the listener's interest in the information and then consider the listener's interests when presenting subsequent information. Thus, the speaker can tailor the subsequent information depending upon the listener's perceived interest.

10 Mass media technologies typically rely on less immediate feedback (e.g., again through ratings or the like of a small population sample, oftentimes not proximate to the original presentation of the information). A drawback to this procedure is that people have to search through information, looking for something interesting, only to discover that sometimes none of the available information is interesting. Currently, there
15 are no methods or systems for assessing and communicating a person's level of interest by passively observing them, especially in a mass media technology environment.

It is noted that some conventional systems and methods exist for assessing a mental state of a person, but these systems and methods have
20 certain drawbacks.

In one conventional system, a device is provided for estimating a mental decision. This estimate is performed by monitoring a subject's gaze direction along with the subject's EEG, and by processing the output signals

via a neural network to classify an event as a mental decision to select a visual cue. Thus, the device can detect when a subject has decided to look at a visual target. The EEG is detected via skin sensors placed on the head.

5 In a second conventional method and system, a person's emotional state is determined remotely. Such a technique is performed by broadcasting a waveform of predetermined frequency and energy at an individual, and then detecting and analyzing the emitted energy to determine physiological parameters. The physiological parameters, such as respiration, blood pressure, pulse rate, pupil size, perspiration levels, etc. are compared with
10 reference values to provide information indicative of the person's emotional state.

In yet another conventional system, a method is provided for evaluating a subject's interest level in presentation materials by analyzing brain-generated event related potential (ERP) and/or event related field
15 (ERF) waveforms. Random audio tones are presented to the subject followed by measurement of ERP signals. The level of interest is computed from the magnitude of the difference of a baseline ERP signal and an ERP signal during a task (e.g., during a video presentation). The difference is correlated to the interest level which the subject expressed by filling out a questionnaire
20 about the video presentations. ERP measurement requires scalp sensors and although it has been suggested that using EMF signals would allow such a technique to be performed non-intrusively, no evidence or practical implementation is known which makes possible such non-intrusive activity.

In other work, it has been determined that perplexed behaviors of a subject using a word processor resulted in head motion changes more than facial expression changes. Dynamic programming is employed to match head motion with head motion templates of the following head gestures:

5 nod, shake, tilt, lean backwards, lean forwards, and no movement. When the subject (user) displays appropriate head gestures, it can be detected when the person is perplexed.

However, in the above technique, only perplexed behaviors, not a general level of interest, was detected.

10 Other experiments have been performed which indicate that people naturally lean forward when presented positive valence information. In one experiment, a mouse with a trackpoint was used and the forward pressure on the trackpoint was measured and then correlated with the valence level of presented information.

15 No methods or systems exist for assessing and communicating a person's level of interest in real-time by passively observing them, especially in a mass media technology environment.

SUMMARY OF THE INVENTION

20 In view of the foregoing and other problems of the conventional methods and systems, an object of the present invention is to reliably assess

and communicate a subject's interest level to media content and more particularly to assessing a subject's level of interest in realtime by passively observing the subject.

Another object of the present invention is to provide a non-intrusive
5 method of detecting interest level whereas the prior art has required intrusive detection or detects only emotional information but not the level of the subject's interest in the information.

In a first aspect of the present invention, a system and method are provided for unobtrusively detecting a subject's level of interest in media
10 content, which includes means for detecting to what a subject is attending; means for measuring a subject's relative arousal level; and means for combining arousal level and attention to produce a level of interest.

Thus, the system and method assess whether a person is attending to the target information (e.g., such as media content). For example, if the
15 person is not attending to the information, the person is assumed to be not interested in the information at that time. Attention can be assessed in various ways depending on the particular medium. In visual media, for example, people reliably attend to the visual information to which their gaze is directed. Therefore, devices that determine at which target a person is
20 looking, such as eye trackers or the like, can be used for attention detection in the visual media.

Furthermore, it has been shown that the duration of fixation time is a strong cue of indicated interest. People gaze at things longer when they are

interested in them. It is noted that "target information" is defined as the object of attention or any object a person could attend to and a level of interest could be assessed.

Next, a person's relative arousal level is assessed. If a person is more aroused when they attend to target information, the person is assumed to find that information interesting at that time. Arousal in this case is a general affective state and can be assessed in various ways. For example, in interpersonal communication, speakers use facial expression as a means of assessing arousal and consequently interest. Therefore, devices that determine a person's arousal level, such as facial gesture detectors, can be used to assess arousal.

Finally, by combining data about attention and arousal, the method and system according to the present invention assesses the level of interest a person has in a particular information target (media content). This assessment can then be communicated as feedback about the information target (media content).

With the invention, a subject's level of interest in information presented to the subject can be reliably and unobtrusively assessed in realtime.

In another aspect of the invention, a method for detecting a person's level of interest in presented target information, includes assessing whether a person is attending to the target information, to produce first data; assessing a person's relative arousal level with regard to the target information, to

produce second data; combining the first and second data to determine a level of interest the person has in the target information; and communicating the level of interest as feedback about the target information to a manager of the target information.

5 Finally, in yet another aspect of the invention, a signal medium is provided for storing programs for performing the above methods.

For example, in a first signal-bearing medium tangibly embodying a program of machine-readable instructions executable by a digital processing apparatus to perform a method for computer-implemented unobtrusive
10 detection of a subject's level of interest in media content, the method includes detecting to what a subject is attending; measuring a subject's relative arousal level; and combining arousal level and attention to produce a level of interest.

In a second signal-bearing medium tangibly embodying a program of
15 machine-readable instructions executable by a digital processing apparatus to perform a method for computer-implemented unobtrusive detection of a subject's level of interest in media content, the method includes assessing whether a person is attending to the target information, to produce first data; assessing a person's relative arousal level with regard to the target
20 information, to produce second data; combining the first and second data to determine a level of interest the person has in the target information; and communicating the level of interest as feedback about the target information to a manager of the target information.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other purposes, aspects and advantages will be better understood from the following detailed description of a preferred embodiment of the invention with reference to the drawings, in which:

5 Figure 1 illustrates a flow diagram of the method of operation of the present invention;

 Figure 2 illustrates a practical example of implementing the method of the present invention;

10 Figure 3 illustrates a simple Bayesian network with a plurality of variables, a , b , and c ;

 Figure 4 illustrates a Bayesian network for inferring a subject's interest level;

 Figure 5 illustrates a block diagram of the environment and configuration of a system 500 according to the present invention; and

15 Figure 6 illustrates a storage medium for storing steps of the program for unobtrusively detecting a level of interest a subject has to media content.

DETAILED DESCRIPTION OF PREFERRED

EMBODIMENTS OF THE INVENTION

20 Referring now to the drawings, and more particularly to Figures 1-6, there is shown a preferred embodiment of the present invention.

 First, as shown in the flow diagram of Figure 1, there are four main

steps (e.g., steps 102, 103, 104, 105) for implementing the method 100 of assessing a subject's interest in media content according to the present invention.

First, in step 101, information is presented.

5 In step 102, the attention indicators (features) of the subject are measured.

In step 103, it is determined whether the subject is attending to target information based on the attention indicators/features measured in step 102. In determining what the subject is attending, preferably the subject's gaze is tracked. There are many methods to track gaze, and for example, many methods are described in Young et al., "Methods and Designs: Survey of Eye Movement Recording Methods", Behavior Research Methods and Instrumentation, Vol 7, pp. 397-429, 1975. Since it is desirable to observe gaze unobtrusively, preferably a remote camera-based technique is employed such as the corneal glint technique taught in U.S. Patent No. 4,595,990 to Garwin et al. entitled, "Eye Controlled Information Transfer" and further refined in U.S. Patent Nos. 4,536,670 and 4,950,069 to Hutchinson.

Instead of custom-built eye/gaze trackers, commercially available systems, such as the EyeTrac® Series 4000 product by Applied Science Labs, Inc. and the EyeGaze® system by LC Technologies, Inc. can be implemented with the invention.

An improvement on the commercial systems that allows for more head

motion uses a novel person detection scheme that uses optical properties of pupils, as described in "Pupil Detection and Tracking Using Multiple Light Sources", by Morimoto et al., IBM Research Report RJ 10117, April, 1998, incorporated herein by reference, in Ebesawa et al., "Unconstrained Pupil
 5 Detection Technique Using Two Light Source and the Image Differencing Method", Visualization and Intelligent Design Architecture, pp. 79-89, 1995, and in U.S. Patent No. 5,016,282 issued to Tomono et al. (also published in Tomono et al., "A TV Camera System Which Extracts Feature Points For Non-Contact Eye Movement Detection", SPIE, Vol 1194, Optics
 10 Illumination and Image Sensing for Machine Vision IV, 1989.

By finding the person by, for example, using a relatively wide field lens, the high resolution tracking camera can be targeted and avoid getting lost during large fast head and upper body motions. The output of the gaze tracker can be processed to give sets of fixations. This operation can be
 15 performed as described in Nodine et al., "Recording and Analyzing Eye-Position Data Using a Microcomputer Workstation", Behavior Research Methods, Instruments & Computers, 24:475-485, 1992, or by purchasing commercial packages such as the EYEANAL® from Applied Science Labs, Inc. The gaze-tracking device may be built into a display to which the
 20 person is gazing or may be provided separately from the display.

The fixation locations are mapped to applications/content on a screen/television monitor or object in a 3-D environment. The durations

(e.g., as measured by a timer provided either separately or built into a CPU) are used to rank the fixation to signal the strength of attention level. A longer fixation indicates a higher attention level. In a room setting, the gaze vector can be used along with a 3-D model of the room to determine what object the subject is looking at. Once it is known at which object the subject is looking, the subject's level of attention toward that object, as well as the subject's history of attention to various objects, can be determined. Additionally, it is known what target information the subject has not yet seen, and thus interest level of those targets cannot be assessed.

The next step is to measure and assess the subject's relative arousal level (e.g., step 104). Specifically, in step 104, if the subject is attending to the target information, then the subject's arousal level must be measured.

Here, for example, the technique of analyzing facial gestures from video sequences is employed. Hence, an arousal-level assessment means may be employed. For example, as described in Ekman et al., "Unmasking the Face", Prentice-Hall: Englewood Cliffs, N.J. (1971), incorporated herein by reference, a system of coding facial expressions has been used to characterize human emotions. Using this system, human emotions such as fear, surprise, anger, happiness, sadness and disgust can be extracted by analyzing facial expressions. Computer vision researchers have recently codified the computation of these features, as described for example, in Black et al., "Recognizing Facial Expressions in Image Sequences using Local Parameterized Models of Image Motion", International Journal of

Computer Vision, 25 (1) (1), pp. 23-48, 1997, C. Lisetti et al., "An Environment to Acknowledge the Interface Between Affect and Cognition", AAAI, Tech report SS-98-2, pages 78-86, 1998, J. Lien et al., "Automated Facial Expression Recognition based on FACS Action Units", Proceeding of the FG'98, IEEE, April 1998, Nara Japan, J. Lien et al., "Automatically Recognizing Facial Expression in the Spatio-Temporal Domain", Workshop on the Perceptual User Interfaces, pp 94-97 Banaff, Canada, October 1997, J. Lien et al., "Subtly Different Facial Expression Recognition and Expression Intensity Estimations", Proceedings of CVPR'98, IEEE, Santa Barbara, June 1998, and I. Essa et al., "A Vision System For Observing and Extracting Facial Action Parameters", Proceedings of CVPR '94, IEEE, pp 76-83, 1994, all of which are incorporated herein by reference.

Additionally, as another or alternative arousal-level assessment mechanism, by observing head gestures such as approval/disapproval, nods, yawns, blink rate/duration, and pupil size and audio utterances, a measure of the arousal level of the subject at the current time can be obtained. For example, decreasing blink rate and increasing blink duration is a strong indicator that the subjects is falling asleep, and thus has a low arousal level. This type of detection has been used to detect the onset of sleep in drivers of cars, as described in M. Eriksson et al., "Eye Tracking for Detection of Driver Fatigue", IEEE Conference on Intelligent Transportation Systems, 1997, pp. 314-319, and M. Funada et al., "On an Image Processing of Eye Blinking to Monitor Awakening Levels of Human Beings", Proceedings of

IEEE 18th International Conference in Medicine and Biology, Vol. 3, pp.
 966-967, 1996, incorporated herein by reference, and U.S. Patent No.
 5,786,765 to Kumakura et al., incorporated herein by reference. In contrast,
 multiple approval nods are a strong indication that the subjects are alert and
 5 interested.

It is noted that, in the exemplary implementation, speech is not
 integrated, for brevity and ease of explanation. However, it is noted that
 speech content and vocal prosody can be used to help decide a person's
 affective station. Expression like "yeah", "right" etc. indicate strong
 10 interest, whereas expressions like "blah", "yuck" etc. indicate strong
 disinterest. As noted in R. Banse et al., "Acoustic Profiles in Vocal
 Emotion Expression", Journal of Personality and Social Psychology, 70,
 614-636, (1997), vocal characteristics, such as pitch, can indicated levels of
 arousal. Such speech content and vocal prosody could be integrated into the
 15 arousal assessment means according to the present invention, either
 additionally or alternatively to the arousal assessment mechanisms discussed
 above.

Blink rate can be measured by simply analyzing the output of the
 pupil detection scheme, as described in C. Morimoto et al., "Pupil Detection
 20 and Tracking Using Multiple Light Sources", IBM Research Report RJ
10117, April, 1998. Whenever both pupils disappear, a blink is marked and
 the duration is measured. The blink rate is computed by simply counting the
 last few blinks over a period of time and dividing by the time. A decreasing

blink rate and increasing blink duration is a strong indicator that the subject is falling asleep and thus has a low arousal level.

Upper body motion can be detected by analyzing the motion track of the pupil over time. To extract this information, as taught by T. Kamitani et al., "Analysis of Perplexing Situations in Word Processor Work Using Facial Image Sequence", Human Vision and Electronic Imaging II, SPIE vol 3016, 1997 pp. 324-334. The present invention computes x , y , z and tilt angle of the head by simple analysis of the pupils' centers. The motion in x and y is computed using a finite difference of the left and right pupil center averages. A motions in the z axis can be obtained using finite differences on the measured distance between the pupils. The tilt angle motion can be computed using finite differences on the angle between the line connecting the pupils and a horizontal line.

Then, a distance between the gesture is computed using dynamic programming to the following templates: yes nod, no nod, lean forward, lean backward, tilt and no action. The output of this stage are 6 distances to the 6 gestures. These distances is computed over the previous 2 seconds worth of data and updated each frame.

To extract information from facial gestures, the eyebrow and mouth region of the person's face are examined. The pupil finding technique indicates a location of the pupils of a person. From this information and a simple face model, regions of the eyebrows and the region of the lips are extracted. For example, pitch may indicate "yes", a yaw motion may

indicate “no”, and a roll may indicate “I don’t know”.

To identify the eyebrows, two rectangular regions are extracted using the line connecting the two pupils, as shown in Figure 2. Aligning the rectangles to the line connecting the pupils allows for side to side head rolling (e.g., an “I don’t know” gesture movement) and establishes an invariant coordinate system. The regions are thresholded to segment the eyebrows from the underlying skin. The coordinates of the inside (medial) and outside (temporal) point of the largest blob (connected region) are found and the perpendicular distance between these points and the baseline are computed. The distance between the eyes and the eyebrows indicates the extent to which the eyebrows are raised (e.g., as in an expression of surprise) or lowered (e.g., as in an expression of anger or confusion) along the mid-line of the face. This expression occurs through the combined action of the corrugator supercilii and medial frontalis muscles.

To allow for invariance to up and down rotation (e.g., a “yes” gesture movement), the ratio of the distances are computed. The muscles of the face only act on the medial point. The temporal point remains fixed on the head, but the distance will change due to perspective from up/down head rotation. The ratio of the distances reflects changes due to the medial point from face muscles and not head motion.

To identify the mouth, the mouth is found again by using the coordinate system aligned to the lines between the pupils. Here, a corner of the mouth is found. This is done by searching for corners using a corner

detection scheme. Here, the eigenvalues of the windowed second moment matrix is found, as outlined on pages 334-338 of R. Haralick, "Computer and Robot Vision", Vol. 2, Addison Wesley, 1993), incorporated herein by reference. Then the perpendicular distance between the mouth corner and the baseline between the pupils is computed. This distance indicates the extent to which the subject is smiling (e.g., as in an expression of happiness) or frowning (e.g., as in an expression of sadness). This expression occurs through the action of the zygomatic muscle.

In summary, the features extracted are as follows: what the subject is looking at, the subject's blink rate and blink duration, six distances to six head gestures, the relative position of his eyebrows, and the relative position of the corners of his mouth.

The next step (e.g., step 105) is to infer the subject's interest level from these features (or measurements). The preferred method for this purpose is a Bayesian network which is sometimes called a "belief network". Other machine learning techniques, such as decision trees and neural networks can also be used. However, Bayesian networks offer several advantages in handling missing data (features), learning and explaining causal relationship between various attributes including features, incorporating expert knowledge, and avoiding over-fitting of data.

A Bayesian network is an acyclic-directed graph (without any loops) in which nodes represent variables and arcs represent cause-effect relationship (e.g., an arc from node a to b indicates that variable a is a direct

cause for variable b). Each node is associated with a conditional probability distribution $P(x_i|\Pi_i)$, where Π_i denotes the parents of the node variable x_i .

The strength of the causal relationship is encoded in this distribution. A beneficial property of Bayesian networks is that the joint probability

5 distribution encoded in the network can be computed by the product of all the conditional probability distributions stored in its nodes. If a node has no parents, then the conditional variable is empty.

For example, Figure 3 shows a simple Bayesian network with three variables, a , b and c . Variable a is the parent of both b and c , which says
10 that both b and c depend on a , but b and c are conditionally independent given a . The joint probability $P(a, b, c) = P(a)P(b/a)P(c/a)$.

Once a Bayesian network is built, one can issue a number of queries.

For example, given a set of observations (e.g., often-called “evidence”) on the states of some variables in the network, one can infer the most probable
15 state(s) for any unobserved variable(s). This applies to the problem of

inferring a subject's interest level given the observations on subject's gaze fixation density, blink rate and duration, head movement, body movement, and facial expression (e.g., eyebrows distance and mouth distance). It is noted that the fixation density is the number of fixation per unit time

20 (seconds) per window. A “window” is a fixed portion of a display screen (e.g., typically rectangular or square), but which typically has separate controls for sizing and the like. A typical window may have a 2-inch by 2-inch dimension, or the like. It is noted that it is unnecessary to have all the

features in order to infer the subject's interest level. This is particularly desirable because some features may not be reliably obtained under certain circumstances.

Figure 4 shows a Bayesian network for inferring a subject's interest level. It consists of 11 variables. Among them, eight are observable (*FixationDensity*, *BlinkRate*, *BlinkDuration*, *Nod*, *Lean*, *Tilt*, *EyebrowsDistance*, and *MouthDistance*), two are hidden variables (*Attention* and *Arousal*), and *InterestLevel* is the variable to be inferred. The dependency information among these variables are represented by the arcs. *Attention* and *Arousal* are the direct indicators for subject's interest level. The *Attention* level in turns affects the *FixationDensity*, *BlinkRate*, and *BlinkDuration*. Similarly, the *Arousal* level affects *BlinkRate*, *BlinkDuration*, *Nod*, *Lean*, *Tilt*, *EyebrowsDistance*, and *MouthDistance*, as discussed earlier. It is noted that some features are represented as states of a variable in this model. For example, the variable *Nod* has three states: *yes*, *no*, and *no-action*, and variable *Lean* also has three states: *forward*, *backward*, and *no-action*.

The structure and parameters of a Bayesian network can be learned from experimental data using the algorithms described in D. Heckerman, "A Tutorial on Learning with Bayesian Network", MSR-TR-95-06, and E. Castillo et al., "Expert Systems and Probabilistic Network Models", Springer, 1998. Bayesian networks have been used for performing collaborative filtering (e.g., see U.S. Patent No. 5,704,017, incorporated

herein by reference), and probabilistic subject modeling based on a subject's background, actions, and queries (e.g., see E. Horvitz et al., "The Lumiere Project: Bayesian User Modeling for Inferring the Goals and Needs of Software Users", Proc. of the 14th Conference on Uncertainty in Artificial Intelligence. Madison, WI. July, 1998).

One use of this system is for an information presentation (media content) technology to receive interest level data about various information targets, and then present more information that is similar to the targets that were most interesting and present less information that is similar to the targets that were least interesting. It is noted that the present invention may utilize other classification schemes instead of the above-described scheme.

Figure 5 shows a system 500 for performing the above operations. Preferably, system 500 includes a CPU 501, a gaze-tracking device 502, a timer 503 (which can be provided within CPU 501 or the gaze-tracking device 502), an arousal-level indicator measurement device 504, an interest-level inference engine 505, and a display 506. It is noted that the display 506 may be a room model or model of the area in which the subject is operating.

As shown in Figure 6, in addition to the hardware and process environment described above, a different aspect of the invention includes a computer-implemented method for determining a level of interest a subject has in media content, as described above. As an example, this method may be

implemented in the particular hardware environment discussed above.

Such a method may be implemented, for example, by operating the CPU 501 (Figure 5), to execute a sequence of machine-readable instructions. These instructions may reside in various types of signal-bearing media.

5 Thus, this aspect of the present invention is directed to a programmed product, comprising signal-bearing media tangibly embodying a program of machine-readable instructions executable by a digital data processor incorporating the CPU 501 and hardware above, to perform a method of determining a person's interest to media content.

10 This signal-bearing media may include, for example, a RAM (not shown) contained within the CPU 501, as represented by the fast-access storage for example. Alternatively, the instructions may be contained in another signal-bearing media, such as a magnetic data storage diskette 600 (Figure 6), directly or indirectly accessible by the CPU 501.

15 Whether contained in the diskette 600, the computer/CPU 501, or elsewhere, the instructions may be stored on a variety of machine-readable data storage media, such as DASD storage (e.g., a conventional "hard drive" or a RAID array), magnetic tape, electronic read-only memory (e.g., ROM, EPROM, or EEPROM), an optical storage device (e.g. CD-ROM, WORM, DVD, digital optical tape, etc.), paper "punch" cards, or other suitable signal-
20 bearing media including transmission media such as digital and analog and communication links and wireless. In an illustrative embodiment of the

invention, the machine-readable instructions may comprise software object code, compiled from a language such as "C", etc.

With the massive amount of digital information, all Internet-based information systems face the challenge of providing the subjects with quality information that is relevant to their individual personal interests. Hence, most existing systems demand (or at least strongly request) that subjects provide an explicit interest profile or explicit vote on individual web pages. Such activities put significant burdens on subjects, who want merely to get the best information with the least trouble in the quickest possible manner.

By integrating gaze-tracking with an arousal-level assessment mechanism and an information source (e.g., a display such as a ticker display), the system according to the present invention can automatically collect valuable feedback passively, without requiring the subject to take any explicit action such as completing a survey form, undergoing a registration process, or the like.

Using the same techniques described previously for determining whether to display more relevant information to a subject, the system generates relevance feedback based on whether the subject is paying attention to certain display items. Accordingly, the system "learns" the subject's particular interests, and the system adaptively provides information regarding such interests to the subject.

A key advantage of this approach is that the system may have different levels of confidence in the subject's interests in a certain topic

because it provides different levels of details for any display item. Thus, the system is adaptive to the subject's interests, and stores information broadly representing the subject's interests in a database or the like. Similarly, negative feedback can also be noted in the subject's profile, and, eventually the subject's display will display mainly items of information in which the subject has a high interest.

While the invention has been described in terms of a preferred embodiment, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

CLAIMS

What is claimed is:

- 1 1. A system for unobtrusively detecting a subject's level of interest in media
2 content, comprising:
3 means for detecting to what a subject is attending;
4 means for measuring a subject's relative arousal level; and
5 means for combining information regarding said subject's arousal
6 level and attention to infer a level of interest.
- 1 2. The system according to claim 1, wherein said detecting means includes
2 means for determining a target to which a gaze of the subject is directed.
- 1 3. The system according to claim 2, wherein said determining means further
2 includes means for determining a duration of fixation time of said gaze.
- 1 4. The system according to claim 3, wherein said measuring means includes
2 means for determining whether the subject is attending to the media content.
- 1 5. The system according to claim 4, wherein said measuring means further
2 includes means for measuring the subject's facial gestures.

1 6. The system according to claim 5, wherein said measuring means further
2 includes means for measuring the subject's head gestures.

1 7. The system according to claim 6, wherein said measuring means further
2 includes means for measuring the subject's speech.

1 8. The system according to claim 1, wherein said measuring means includes
2 means for measuring the subject's facial gestures.

1 9. The system according to claim 1, wherein said measuring means includes
2 means for measuring the subject's head gestures.

1 10. The system according to claim 1, wherein said measuring means
2 includes means for measuring the subject's speech.

1 11. The system according to claim 1, wherein said level of interest
2 produced provides relevance feedback associated with said subject to a
3 manager of said media content.

1 12. A system for unobtrusively detecting an object of a subject's interest
2 in media content, comprising:
3 means for detecting the object to which the subject is attending;

4 means for measuring the subject's relative arousal level; and
5 means for combining information regarding said subject's arousal
6 level and attention to infer the object of interest.

1 13. The system according to claim 12, wherein said detecting means
2 includes means for determining a target to which a gaze of the subject is
3 directed.

1 14. The system according to claim 13, wherein said determining means
2 further includes means for determining a duration of fixation time of said
3 gaze.

1 15. The system according to claim 14, wherein said measuring means
2 includes means for determining whether the subject is attending to the media
3 content.

1 16. The system according to claim 15, wherein said measuring means
2 further includes means for measuring the subject's facial gestures.

1 17. The system according to claim 16, wherein said measuring means
2 further includes means for measuring the subject's head gestures.

1 18. The system according to claim 17, wherein said measuring means

2 further includes means for measuring the subject's speech.

1 19. The system according to claim 12, wherein said measuring means
2 includes means for measuring the subject's facial gestures.

1 20. The system according to claim 12, wherein said measuring means
2 includes means for measuring the subject's head gestures.

1 21. The system according to claim 12, wherein said measuring means
2 includes means for measuring the subject's speech.

1 22. The system according to claim 12, wherein said level of interest
2 produced provides relevance feedback associated with said subject to a
3 manager of said media content.

1 23. A method of unobtrusively detecting a subject's level of interest in
2 media content, comprising:

3 detecting to what a subject is attending;
4 measuring a subject's relative arousal level; and
5 combining information regarding said subject's arousal level and
6 attention to infer a level of interest.

1 24. The method according to claim 23, wherein said detecting includes

2 determining a target to which a gaze of the subject is directed.

1 25. The method according to claim 24, wherein said determining further
2 includes determining a duration of fixation time of said gaze.

1 26. The method according to claim 25, wherein said measuring includes
2 determining whether the subject is attending to the target information.

1 27. The method according to claim 26, wherein said measuring further
2 includes measuring the subject's facial gestures.

1 28. The method according to claim 27, wherein said measuring further
2 includes measuring the subject's head gestures.

1 29. The method according to claim 28, wherein said measuring further
2 includes measuring the subject's speech.

1 30. The method according to claim 23, wherein said measuring includes
2 measuring the subject's facial gestures.

1 31. The method according to claim 23, wherein said measuring includes
2 measuring the subject's head gestures.

1 32. The method according to claim 23, wherein said measuring includes
2 measuring the subject's speech.

1 33. The method according to claim 23, wherein said level of interest
2 produced provides relevance feedback associated with said subject to a
3 manager of said media content.

1 34. A method of unobtrusively detecting the object of a subject's interest
2 in media content, comprising:
3 detecting the object the subject is attending;
4 measuring the subject's relative arousal level; and
5 combining information regarding the subject's arousal level and
6 attention to infer the object of interest.

1 35. The method according to claim 34, wherein said detecting includes
2 determining a target to which a gaze of the subject is directed.

1 36. The method according to claim 35, wherein said determining further
2 includes determining a duration of fixation time of said gaze.

1 37. The method according to claim 36, wherein said measuring includes
2 determining whether the subject is attending to the target information.

1 38. The method according to claim 37, wherein said measuring further
2 includes measuring the subject's facial gestures.

1 39. The method according to claim 38, wherein said measuring further
2 includes measuring the subject's head gestures.

1 40. The method according to claim 39, wherein said measuring further
2 includes measuring the subject's speech.

1 41. The method according to claim 34, wherein said measuring includes
2 measuring the subject's facial gestures.

1 42. The method according to claim 34, wherein said measuring includes
2 measuring the subject's head gestures.

1 43. The method according to claim 34, wherein said measuring includes
2 measuring the subject's speech.

1 44. The method according to claim 34, wherein said level of interest
2 produced provides relevance feedback associated with said subject.

1 45. A method for detecting a person's level of interest in media content,
2 comprising:

3 assessing whether a person is attending to the media content, to
4 produce first data;

5 assessing a person's relative arousal level with regard to the media
6 content, to produce second data;

7 combining said first and second data to infer a level of interest the
8 person has in said media content; and

9 communicating said level of interest as feedback about the media
10 content to a manager of said media content.

1 46. The method according to claim 45, wherein said assessing includes
2 determining a target to which a gaze of the person is directed.

1 47. The method according to claim 46, wherein said assessing further
2 includes determining a duration of fixation time of said gaze.

1 48. The method according to claim 45, wherein said assessing includes
2 determining whether the person is attending to the media content.

1 49. The method according to claim 45, wherein said assessing includes
2 measuring a person's facial gestures.

1 50. The method according to claim 45, wherein said assessing includes
2 measuring the person's head gestures.

1 51. The method according to claim 45, wherein said assessing includes
2 measuring the subject's speech.

1 52. The method according to claim 45, wherein said level of interest
2 produced provides relevance feedback associated with said subject.

1 53. A signal-bearing medium tangibly embodying a program of machine-
2 readable instructions executable by a digital processing apparatus to perform
3 a method for computer-implemented unobtrusive detection of a subject's
4 level of interest in media content, said method comprising:
5 detecting to what a subject is attending;
6 measuring a subject's relative arousal level; and
7 combining information regarding said subject's arousal level and
8 attention to infer a level of interest.

1 54. A signal-bearing medium tangibly embodying a program of machine-
2 readable instructions executable by a digital processing apparatus to perform
3 a method for computer-implemented unobtrusive detection of a subject's
4 level of interest in media content, said method comprising:
5 assessing whether a subject is attending to the media content, to
6 produce first data;
7 assessing a subject's relative arousal level with regard to the media

- 8 content, to produce second data;
- 9 combining said first and second data to infer a level of interest the
- 10 subject has in said media content; and
- 11 communicating said level of interest as feedback about the media
- 12 content to a manager of said media content.

AM9-98-093

**METHOD AND SYSTEM FOR REAL-TIME
DETERMINATION OF A SUBJECT'S INTEREST LEVEL
TO MEDIA CONTENT**

ABSTRACT OF THE DISCLOSURE

- 5 A system and method for unobtrusively detecting a subject's level of interest in media content, includes detecting to what a subject is attending, measuring a subject's relative arousal level; and combining information regarding the subject's arousal level and attention to infer a level of interest.




Figure 1




Figure 5

Fig. 3





Fig. 4







Figure 2

FIGURE 6



DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: METHOD AND SYSTEM FOR REAL-TIME DETERMINATION OF A SUBJECT'S INTEREST LEVEL TO MEDIA CONTENT

the specification of which:
(check one)

☒ is attached hereto.

☐ was filed on _____, as Application Serial No. _____ and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Number	Country	Day/Month/Year	Priority Claimed
--------	---------	----------------	------------------

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Prior U.S. Applications:

Serial No.	Filing Date	Status
------------	-------------	--------

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: We hereby appoint Romualdas Strimaitis, Registration No. 35,697, Khanh Q. Tran, Registration No. 41,352, Edward A. Pennington, Registration No. 32,588, Joseph C. Redmond, Jr., Registration No. 18,753, Thomas R. Berthold, Registration No. 28,689, Christopher A. Hughes, Registration No. 26,914, John E. Hoel, Registration No. 26,279, to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith.

Send all correspondence to: McGinn & Gibb, P.C., 1701 Clarendon Boulevard, Suite 100, Arlington, Virginia 22209. Customer No. 21254

Telephone calls should be directed to Sean M. McGinn, McGinn & Gibb, P.C. at (703) 294-6699.

(1) Inventor: D. Christopher Dryer

Signature: 

Date: 1-27-99

Residence: 100 N. Whisman Road #318, Mountain View, CA 94043

Citizenship: United States of America

Post Office Address: Same as Above

(2) Inventor: Myron Dale Flickner

Signature: Myron Dale Flickner Date: 2/8/99

Residence: 1211 Starling Ridge Court, San Jose, CA 95120-4179

Citizenship: United States of America

Post Office Address: Same as Above

(3) Inventor: Jianchang Mao

Signature: Jianchang Mao Date: 1/27/99

Residence: 6744 Mt. Pakron Drive, San Jose, CA 95120

Citizenship: Peoples Republic of China

Post Office Address: Same as Above

IBM Docket No.: AM9-98-093